

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

Yes/No

Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

[illegible]

Stop 1	Loader	Driver	Store	
Total				
Frozen				
Chiller				PLBs Created
Ambient				
Eggs (Chiller)				PLBs Loaded
Bread (Ambient)				
Stop 2	Loader	Driver	Store	
Total				
Frozen				
Chiller				PLBs Created
Ambient				
Eggs (Chiller)				PLBs Loaded
Bread (Ambient)				
Stop 3	Loader	Driver	Store	
Total				
Frozen				
Chiller				PLBs Created
Ambient				
Eggs (Chiller)				PLBs Loaded
Bread (Ambient)				
Total Truck Pallet Count Summary (WOL Input)				
Total		# of Stops		
Frozen		PLBs Created		
Chiller		PLBs Loaded		
Ambient		Off-System Consolidations		
Eggs (Chiller)		Equipment		
Bread (Ambient)		Other Racks (i.e. Flowers)		
# of oLPNs - Shipments UI		WOL Completion Initials		

Load Map Key		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/ 55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

Loading Reminder: Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Loader Notes:

Driver Notes/Feedback:

Sanitary Transport Requirements (Loader circle Yes or No):

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Area	Nose		Area
Loader Initials			

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store	
Total				
Frozen				
Chiller				PLBs Created
Ambient				
Eggs (Chiller)				PLBs Loaded
Bread (Ambient)				
Stop 2	Loader	Driver	Store	
Total				
Frozen				
Chiller				PLBs Created
Ambient				
Eggs (Chiller)				PLBs Loaded
Bread (Ambient)				
Stop 3	Loader	Driver	Store	
Total				
Frozen				
Chiller				PLBs Created
Ambient				
Eggs (Chiller)				PLBs Loaded
Bread (Ambient)				
Total Truck Pallet Count Summary (WOL Input)				
Total		# of Stops		
Frozen		PLBs Created		
Chiller		PLBs Loaded		
Ambient		Off-System Consolidations		
Eggs (Chiller)		Equipment		
Bread (Ambient)		Other Racks (i.e. Flowers)		
# of oLPNs - Shipments UI		WOL Completion Initials		

Load Map Key		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/ 55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

Loading Reminder: Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Loader Notes:

Driver Notes/Feedback:

Sanitary Transport Requirements (Loader circle Yes or No):

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No