

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

Yes/No

Yes/No

Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No

1. Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling?
(Single-temp trailer : FRZ Load = -10° F, CHL ONLY Load= 33° F
Multi-temp trailer : FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
2. Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
3. After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
4. Are bulkheads in place and adequate air flow established through vents between Cooler and Freezer?
Yes/No